GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Public Services – Sri P. Venkataratnam, Deputy Executive Engineer, RPR Sub-division No. 2, Rallapadu Irrigation Division, Srikalahasti, - Committed certain irregularities - Departmental Proceedings under Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 - Articles of Charges - Issued.

IRRIGATION & COMMAND AREA DEVELOPMENT (SER. IV.1) DEPARTMENT

G.O. Rt. No: 261 Dt: 06 -3-2010.

ORDER:-

It is proposed to hold an enquiry against Sri P. Venkatarathnam, Deputy Executive Engineer, RPR Sub-division-2, Rallapadu, Irrigation Division, Srikalahasti, in accordance with the procedure laid down in Rule 20 of the APCS (CC&A) Rules 1991

- <u>2</u>. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of Imputations of misconduct or misbehavior in support of each articles of charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the articles of charges are proposed to be sustained are also enclosed (Annexures-III and IV).
- <u>3</u>. Sri P. Venkataratnam, Deputy Executive Engineer, RPR Sub-division No. 2, Rallapadu, Irrigation Division, Srikalahasti, is directed to submit a written statement within (2) months from the date of receipt of this order.
- **<u>4</u>**. Sri P. Venkatarathnam, Deputy Executive Engineer, RPR Sub-division- 2, Rallapadu, Irrigation Division, Srikalahasti, is informed that an inquiry will be held only in respect of those articles of charges that are not specifically not admitted herein. He should, therefore, specifically admit or deny each article of charge.
- <u>5</u>. Sri P. Venkatarathnam, Deputy Executive Engineer, RPR i Sub-division-2, Rallapadu, Irrigation Division, Srikalahasti, is further informed that if he does not submit his written statement of defence on or before the date specified in para-3 above, or otherwise fails or refuses to comply with the provisions of rule 20 of Andhra Pradesh Civil Services (CC&A) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiring Authority may hold the inquiry authority against him ex-parte.
- **6**. Attention of Sri P. Venkatarathnam, Deputy Executive Engineer, RPR Sub-Division-2, Irrigation Division, Srikalahasti, is further invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964 under which no Government servant shall bring or attempt to bring any political or outside influence to bear upon any

(PTO)

superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter the same will be dealt with in these proceedings it will be presumed that Sri P. Venkata Ratham, Deputy Executive Engineer, Irrigation Division, Srikalahasti, is aware of such representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of the Andhra Pradesh Civil Service (Conduct) Rules, 1964.

7. The receipt of this order may be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S. P. TUCKER PRINCIPAL SECRETARY TO GOVERNMENT.

To

Sri P. Venkatarathan, Deputy Executive Engineer, Srikalahasti Sub-division, Irrigation Division, Srikalahasti, through the Engineer-in-Chief (AW), Irrigation &CAD Department, Hyderabad.

Copy to Engineer-in-Chief (AW), Irrigation &CAD Department, Jalasoudha Buildings, Errammanzil, Hyderabad, with request to serve the charges and send the dated Acknowledgement of the Officer immediately

SF/Sc

// FORWARDED :: BY ORDER //

SECTION OFFICER.